



Safety Data Sheet according to (EC) No 1907/2006 as amended

Page 1 of 14

BONDERITE C-MC 80 ALKALINE MAINTENANCE CLEANER

SDS No. : 109835
V010.1

Revision: 27.04.2023

printing date: 29.04.2023

Replaces version from: 02.09.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

BONDERITE C-MC 80 ALKALINE MAINTENANCE CLEANER

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use:

Alkaline Cleaner for Industrial Application

1.3. Details of the supplier of the safety data sheet

Henkel AG & Co. KGaA

Henkelstr. 67

40589 Düsseldorf

Germany

Phone: +49 211 797 0

For Safety Data Sheet updates please visit our website <https://mysds.henkel.com/index.html#/appSelection> or www.henkel-adhesives.com.

SDSinfo.Adhesive@henkel.com

1.4. Emergency telephone number

The Henkel information service also provides an around-the-clock telephone service on phone no.+49-(0)211-797-3350 for exceptional cases.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (CLP):

Corrosive to metals

Category 1

H290 May be corrosive to metals.

Skin corrosion

Category 1A

H314 Causes severe skin burns and eye damage.

Serious eye damage

Category 1

H318 Causes serious eye damage.

2.2. Label elements

Label elements (CLP):

Hazard pictogram:



Contains

Potassium hydroxide

Signal word:	Danger
Hazard statement:	H290 May be corrosive to metals. H314 Causes severe skin burns and eye damage.
Precautionary statement:	P260 Do not breathe mist/spray.
Prevention	P280 Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary statement:	P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
Response	P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor.

2.3. Other hazards

None if used properly.

Following substances are present in a concentration \geq the concentration limit for depiction in Section 3 and fulfill the criteria for PBT/vPvB, or were identified as endocrine disruptor (ED):

This mixture does not contain any substances in a concentration \geq the concentration limit for depiction in Section 3 that are assessed to be a PBT, vPvB or ED.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Declaration of the ingredients according to CLP (EC) No 1272/2008:

Hazardous components CAS-No. EC Number REACH-Reg No.	Concentration	Classification	Specific Conc. Limits, M-factors and ATEs	Add. Information
Potassium hydroxide 1310-58-3 215-181-3 01-2119487136-33	5- < 10 %	Skin Corr. 1A, H314 Acute Tox. 4, Oral, H302 Met. Corr. 1, H290	Skin Corr. 1A; H314; C \geq 5 % Skin Corr. 1B; H314; C 2 - < 5 % Skin Irrit. 2; H315; C 0,5 - < 2 % Eye Irrit. 2; H319; C 0,5 - < 2 %	
Sodium p-cumenesulphonate 15763-76-5 239-854-6 01-2119489411-37	1- < 5 %	Eye Irrit. 2, H319		
Potassium silicate; mol-ratio SiO ₂ :K ₂ O \Rightarrow 1.6 < or = 2.6 /liquid 1312-76-1 215-199-1	5- < 10 %	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335		
Benzenesulfonic acid, 4-C10-13- sec-alkyl derivs., potassium salts 84961-78-4 284-669-6, 284-669-6	1- < 3 %	Acute Tox. 4, Oral, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Chronic 3, H412		

For full text of the H - statements and other abbreviations see section 16 "Other information".

Substances without classification may have community workplace exposure limits available.

Declaration of ingredients according to Detergent Regulation 648/2004/EC

< 5 % phosphonates
non-ionic surfactants
anionic surfactants

SECTION 4: First aid measures**4.1. Description of first aid measures****Inhalation:**

Move to fresh air, consult doctor if complaint persists.

Skin contact:

Immediately rinse with copious amounts of running water (for 10 minutes). Remove contaminated clothes. Put on a bandage with sterile gauze, seek medical attention in hospital.

Eye contact:

Immediately flush eyes with soft jet of water or eye rinse solution for at least 15 minutes. Hold eyelid wide-open. Seek a doctor/hospital, eye flushing should continue during transportation to a doctor.

Ingestion:

Rinse out mouth, drink 1-2 glasses of water, do not induce vomiting.

Immediate medical treatment necessary.

4.2. Most important symptoms and effects, both acute and delayed

Causes burns.

4.3. Indication of any immediate medical attention and special treatment needed

See section: Description of first aid measures

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media:**

Water spray jet

Carbon dioxide, foam, powder

Extinguishing media which must not be used for safety reasons:

High pressure waterjet

5.2. Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in fires.

5.3. Advice for firefighters

Wear protective equipment.

Wear self-contained breathing apparatus.

Additional information:

Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures**

Avoid contact with skin and eyes.

Danger of slipping on spilled product.

6.2. Environmental precautions

Do not empty into drains / surface water / ground water.

6.3. Methods and material for containment and cleaning up

Remove with liquid-absorbing material (sand, peat, sawdust).

Dispose of contaminated material as waste according to Section 13.

6.4. Reference to other sections

See advice in section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid skin and eye contact.
 Ensure that workrooms are adequately ventilated.
 See advice in section 8

Hygiene measures:

Wash hands before work breaks and after finishing work.
 Do not eat, drink or smoke while working.
 Wash contaminated clothing before reuse.
 The workplace should be equipped with an emergency shower and eye-rinsing facility.

7.2. Conditions for safe storage, including any incompatibilities

Store frost-free.
 Keep container tightly sealed.
 Keep only in original container.
 Do not store together with strong acids.
 Do not store together with food or other consumables (coffee, tea, tobacco, etc.).

7.3. Specific end use(s)

Alkaline Cleaner for Industrial Application

SECTION 8: Exposure controls/personal protection**8.1. Control parameters****Occupational Exposure Limits**

Valid for
 Germany

None

Predicted No-Effect Concentration (PNEC):

Name on list	Environmental Compartment	Exposure period	Value				Remarks
			mg/l	ppm	mg/kg	others	
Potassium hydroxide 1310-58-3	Predator						no potential for bioaccumulation
Sodium p-cumenesulphonate 15763-76-5	aqua (freshwater)		0,23 mg/l				
Sodium p-cumenesulphonate 15763-76-5	aqua (intermittent releases)		2,3 mg/l				
Sodium p-cumenesulphonate 15763-76-5	sewage treatment plant (STP)		100 mg/l				
Sodium p-cumenesulphonate 15763-76-5	aqua (marine water)		0,023 mg/l				
Sodium p-cumenesulphonate 15763-76-5	sediment (freshwater)				0,862 mg/kg		
Sodium p-cumenesulphonate 15763-76-5	sediment (marine water)				0,0862 mg/kg		
Sodium p-cumenesulphonate 15763-76-5	Soil				0,037 mg/kg		

Derived No-Effect Level (DNEL):

Name on list	Application Area	Route of Exposure	Health Effect	Exposure Time	Value	Remarks
Potassium hydroxide 1310-58-3	Workers	inhalation	Long term exposure - local effects		1 mg/m ³	no potential for bioaccumulation
Potassium hydroxide 1310-58-3	General population	inhalation	Long term exposure - local effects		1 mg/m ³	no potential for bioaccumulation
Sodium p-cumenesulphonate 15763-76-5	Workers	dermal	Long term exposure - systemic effects		191 mg/kg	
Sodium p-cumenesulphonate 15763-76-5	Workers	inhalation	Long term exposure - systemic effects		37,4 mg/m ³	
Sodium p-cumenesulphonate 15763-76-5	Workers	dermal	Long term exposure - local effects		0,096 mg/cm ²	
Sodium p-cumenesulphonate 15763-76-5	General population	dermal	Long term exposure - systemic effects		68,1 mg/kg	
Sodium p-cumenesulphonate 15763-76-5	General population	inhalation	Long term exposure - systemic effects		6,6 mg/m ³	
Sodium p-cumenesulphonate 15763-76-5	General population	oral	Long term exposure - systemic effects		3,8 mg/kg	
Sodium p-cumenesulphonate 15763-76-5	General population	dermal	Long term exposure - local effects		0,048 mg/cm ²	

Biological Exposure Indices:

None

8.2. Exposure controls:

Engineering controls:

Ensure good ventilation/suction at the workplace.

Respiratory protection:

In case of aerosol formation, we recommend wearing of appropriate respiratory protection equipment with ABEK P2 filter (EN 14387).

This recommendation should be matched to local conditions.

Hand protection:

Chemical-resistant protective gloves (EN 374). Suitable materials for short-term contact or splashes (recommended: at least protection index 2, corresponding to > 30 minutes permeation time as per EN 374): Polychloroprene (CR; \geq 1 mm thickness) or natural rubber (NR; \geq 1 mm thickness) Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374): Polychloroprene (CR; \geq 1 mm thickness) or natural rubber (NR; \geq 1 mm thickness) This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced.

Eye protection:

Goggles which can be tightly sealed.

Protective eye equipment should conform to EN166.

Skin protection:

Protective clothing that covers arms and legs.

Protective clothing should conform to EN 14605 for liquid splashes or to EN 13982 for dusts.

Advices to personal protection equipment:

The information provided on personal protective equipment is for guidance purposes only. A full risk assessment should be conducted prior to using this product to determine the appropriate personal protective equipment to suit local conditions. Personal protective equipment should conform to the relevant EN standard.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Delivery form	liquid
Colour	yellow, up to, brown
Odor	odourless
Physical state	liquid
Melting point	Not applicable, Product is a liquid
Solidification temperature	<= 0 °C (<= 32 °F)
Initial boiling point	100 °C (212 °F)
Flammability	Not applicable
	Aqueous solution
Explosive limits	Not applicable, Aqueous solution
Flash point	> 100 °C (> 212 °F)
Auto-ignition temperature	Not applicable, Aqueous solution
Decomposition temperature	Not applicable, Substance/mixture is not self-reactive, no organic peroxide and does not decompose under foreseen conditions of use
pH	> 12 PH-value, potentiometer
(20 °C (68 °F); Conc.: 1 % product; Solvent: Demineralised water)	
Viscosity (kinematic)	> 20,5 mm ² /s
(40 °C (104 °F);)	
Solubility (qualitative)	fully miscible
(20 °C (68 °F); Solvent: Water)	
Partition coefficient: n-octanol/water	Not applicable
	Mixture
Vapour pressure	< 100 hPa
(50 °C (122 °F))	
Density	1,14 - 1,18 g/cm ³
(20 °C (68 °F))	
Relative vapour density:	< 1
(20 °C)	
Particle characteristics	Not applicable
	Product is a liquid

9.2. Other information

Other information not applicable for this product

SECTION 10: Stability and reactivity

10.1. Reactivity

Reaction with strong acids.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

See section reactivity

10.4. Conditions to avoid

No decomposition if used according to specifications.

10.5. Incompatible materials

See section reactivity.

10.6. Hazardous decomposition products

None if used for intended purpose.

In case of fire toxic gases can be released.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Species	Method
Potassium hydroxide 1310-58-3	LD50	333 mg/kg	rat	equivalent or similar to OECD Guideline 425 (Acute Oral toxicity)
Sodium p-cumenesulphonate 15763-76-5	LD50	3.346 mg/kg	rat	EPA OTS 798.1175 (Acute Oral Toxicity)
Potassium silicate; mol-ratio SiO ₂ :K ₂ O=> 1.6 < or = 2.6 /liquid 1312-76-1	LD50	> 5.000 mg/kg	rat	EPA OPPTS 870.1100 (Acute Oral Toxicity)
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., potassium salts 84961-78-4	LD50	1.080 mg/kg	rat	OECD Guideline 401 (Acute Oral Toxicity)

Acute dermal toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Species	Method
Sodium p-cumenesulphonate 15763-76-5	LD50	> 2.000 mg/kg	rabbit	OECD Guideline 402 (Acute Dermal Toxicity)
Potassium silicate; mol-ratio SiO ₂ :K ₂ O=> 1.6 < or = 2.6 /liquid 1312-76-1	LD50	> 5.000 mg/kg	rat	EPA OPPTS 870.1200 (Acute Dermal Toxicity)
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., potassium salts 84961-78-4	LD50	> 2.000 mg/kg	rat	OECD Guideline 402 (Acute Dermal Toxicity)

Acute inhalative toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Test atmosphere	Exposure time	Species	Method
Sodium p-cumenesulphonate 15763-76-5	LC50	> 6,41 mg/l	dust/mist	4 h	rat	OECD Guideline 403 (Acute Inhalation Toxicity)
Potassium silicate; mol-ratio SiO ₂ :K ₂ O=> 1.6 < or = 2.6 /liquid 1312-76-1	LC50	> 2,06 mg/l	dust/mist	4 h	rat	EPA OPPTS 870.1300 (Acute inhalation toxicity)

Skin corrosion/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Potassium hydroxide 1310-58-3	corrosive	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)
Sodium p-cumenesulphonate 15763-76-5	not irritating	24 h	rabbit	Draize Test
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., potassium salts 84961-78-4	irritating	4 h	rabbit	OECD Guideline 404 (Acute Dermal Irritation / Corrosion)

Serious eye damage/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Exposure time	Species	Method
Potassium hydroxide 1310-58-3	corrosive		rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)
Sodium p-cumenesulphonate 15763-76-5	moderately irritating		rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)
Potassium silicate; mol-ratio SiO ₂ :K ₂ O=> 1.6 < or = 2.6 /liquid 1312-76-1	corrosive	1 min	Rabbit, eye, in vitro	eye irritation study
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., potassium salts 84961-78-4	corrosive		rabbit	OECD Guideline 405 (Acute Eye Irritation / Corrosion)

Respiratory or skin sensitization:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Test type	Species	Method
Potassium hydroxide 1310-58-3	not sensitising	Intracutaneous test	guinea pig	Landsteiner & Jacobs Method
Sodium p-cumenesulphonate 15763-76-5	not sensitising	Buehler test	guinea pig	OECD Guideline 406 (Skin Sensitisation)

Germ cell mutagenicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Type of study / Route of administration	Metabolic activation / Exposure time	Species	Method
Potassium hydroxide 1310-58-3	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		not specified
Sodium p-cumenesulphonate 15763-76-5	negative	bacterial reverse mutation assay (e.g Ames test)	with and without		EPA OTS 798.5265 (The Salmonella typhimurium Bacterial Reverse Mutation Test)
Sodium p-cumenesulphonate 15763-76-5	negative	in vitro mammalian chromosome aberration test	with and without		EPA OPPTS 870.5375 (In Vitro Mammalian Chromosome Aberration)
Sodium p-cumenesulphonate 15763-76-5	negative	mammalian cell gene mutation assay	with and without		EPA OPPTS 870.5300 (Detection of Gene Mutations in Somatic Cells in Culture)
Sodium p-cumenesulphonate 15763-76-5	negative	sister chromatid exchange assay in mammalian cells	with and without		EPA OPPTS 870.5900 (In Vitro Sister Chromatid Exchange Assay in Mammalian Cells)

Carcinogenicity

No data available.

Reproductive toxicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result / Value	Test type	Route of application	Species	Method
Sodium p-cumenesulphonate 15763-76-5	NOAEL P 300 mg/kg NOAEL F1 1.000 mg/kg	screening	oral: gavage	rat	OECD Guideline 421 (Reproduction / Developmental Toxicity Screening Test)

STOT-single exposure:

No data available.

STOT-repeated exposure:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

Hazardous substances CAS-No.	Result / Value	Route of application	Exposure time / Frequency of treatment	Species	Method
Sodium p- cumenesulphonate 15763-76-5	NOAEL > 763 mg/kg	oral: feed	90 d daily	rat	OECD Guideline 408 (Repeated Dose 90-Day Oral Toxicity in Rodents)

Aspiration hazard:

No data available.

11.2 Information on other hazards

not applicable

SECTION 12: Ecological information

General ecological information:

Do not empty into drains / surface water / ground water.

Locally harmful for aquatic and landliving organisms because of high pH and corrosive properties.

The biodegradability of the surfactants contained in the product is in accordance with the requirements of the EU Detergent Regulation (EC/648/2004).

The surfactants contained in the products are primary biodegradable to at least 90% on average.

12.1. Toxicity

Toxicity (Fish):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

The table below presents the data of the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Sodium p-cumenesulphonate 15763-76-5	LC50	> 100 mg/l	96 h	Oncorhynchus mykiss	OECD Guideline 203 (Fish, Acute Toxicity Test)
Potassium silicate; mol-ratio SiO ₂ :K ₂ O=> 1.6 < or = 2.6 /liquid 1312-76-1	LC50	> 146 mg/l	48 h	Leuciscus idus	DIN 38412-15
Benzenesulfonic acid, 4-C10- 13-sec-alkyl derivs., potassium salts 84961-78-4	NOEC	> 0,43 - 0,89 mg/l	28 d	Salmo gairdneri (new name: Oncorhynchus mykiss)	OECD Guideline 210 (fish early lite stage toxicity test)
Benzenesulfonic acid, 4-C10- 13-sec-alkyl derivs., potassium salts 84961-78-4	LC50	1,67 mg/l	96 h	Lepomis macrochirus	OECD Guideline 203 (Fish, Acute Toxicity Test)
Benzenesulfonic acid, 4-C10- 13-sec-alkyl derivs., potassium salts 84961-78-4	NOEC	1 mg/l	28 d	Lepomis macrochirus	OECD Guideline 204 (Fish, Prolonged Toxicity Test: 14-day Study)

Toxicity (aquatic invertebrates):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

The table below presents the data of the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Sodium p-cumenesulphonate 15763-76-5	EC50	> 100 mg/l	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Potassium silicate; mol-ratio SiO ₂ :K ₂ O=> 1.6 < or = 2.6 /liquid 1312-76-1	EC50	> 146 mg/l	24 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)
Benzenesulfonic acid, 4-C10- 13-sec-alkyl derivs., potassium salts 84961-78-4	EC50	2,9 mg/l	48 h	Daphnia magna	OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test)

Chronic toxicity (aquatic invertebrates):

The table below presents the data of the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Benzenesulfonic acid, 4-C10- 13-sec-alkyl derivs., potassium salts 84961-78-4	NOEC	1,18 mg/l	21 d	Daphnia magna	OECD 211 (Daphnia magna, Reproduction Test)

Toxicity (Algae):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

The table below presents the data of the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Sodium p-cumenesulphonate 15763-76-5	EC50	> 100 mg/l	96 h	Pseudokirchneriella subcapitata	OECD Guideline 201 (Alga, Growth Inhibition Test)
Benzenesulfonic acid, 4-C10- 13-sec-alkyl derivs., potassium salts 84961-78-4	EC50	127,9 mg/l	72 h	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)	OECD Guideline 201 (Alga, Growth Inhibition Test)
Benzenesulfonic acid, 4-C10- 13-sec-alkyl derivs., potassium salts 84961-78-4	NOEC	2,4 mg/l	72 h	Scenedesmus subspicatus (new name: Desmodesmus subspicatus)	OECD Guideline 201 (Alga, Growth Inhibition Test)

Toxicity (microorganisms):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

The table below presents the data of the classified substances present in the mixture.

Hazardous substances CAS-No.	Value type	Value	Exposure time	Species	Method
Benzenesulfonic acid, 4-C10- 13-sec-alkyl derivs., potassium salts 84961-78-4	EC0	26 mg/l	16 h	Pseudomonas putida	DIN 38412, part 8 (Pseudomonas Zellvermehrungshemm- Test)

12.2. Persistence and degradability

The table below presents the data of the classified substances present in the mixture.

Hazardous substances CAS-No.	Result	Test type	Degradability	Exposure time	Method
Sodium p-cumenesulphonate 15763-76-5	readily biodegradable	aerobic	99,8 %	28 day	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)
Benzenesulfonic acid, 4-C10- 13-sec-alkyl derivs., potassium salts 84961-78-4	readily biodegradable	aerobic	85 %	29 d	OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution Test)

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

The table below presents the data of the classified substances present in the mixture.

Hazardous substances CAS-No.	LogPow	Temperature	Method
Benzenesulfonic acid, 4-C10-13-sec-alkyl derivs., potassium salts 84961-78-4	3,32		not specified

12.5. Results of PBT and vPvB assessment

The table below presents the data of the classified substances present in the mixture.

Hazardous substances CAS-No.	PBT / vPvB
Potassium hydroxide 1310-58-3	According to Annex XIII of regulation (EC) 1907/2006 a PBT and vPvB assessment shall not be conducted for inorganic substances.
Sodium p-cumenesulphonate 15763-76-5	Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.

12.6. Endocrine disrupting properties

not applicable

12.7. Other adverse effects

If acidic or alkaline products are discharged into wastewater installations care must be taken that the discharged wastewater has a pH in the range pH 6 - 10, as pH variations could cause disorders in wastewater channels and biological sewage treatment plants. The local discharge regulations take precedence.

SECTION 13: Disposal considerations**13.1. Waste treatment methods**

Product disposal:

In consultation with the responsible local authority, must be subjected to special treatment.

Waste code

EWC/EAK 070608

The valid EWC waste code numbers are source-related. The manufacturer is therefore unable to specify EWC waste codes for the articles or products used in the various sectors. The EWC codes listed are intended as a recommendation for users. We will be happy to advise you.

SECTION 14: Transport information

14.1. UN number or ID number

ADR	1814
RID	1814
ADN	1814
IMDG	1814
IATA	1814

14.2. UN proper shipping name

ADR	POTASSIUM HYDROXIDE SOLUTION
RID	POTASSIUM HYDROXIDE SOLUTION
ADN	POTASSIUM HYDROXIDE SOLUTION
IMDG	POTASSIUM HYDROXIDE SOLUTION
IATA	Potassium hydroxide solution

14.3. Transport hazard class(es)

ADR	8
RID	8
ADN	8
IMDG	8
IATA	8

14.4. Packing group

ADR	II
RID	II
ADN	II
IMDG	II
IATA	II

14.5. Environmental hazards

ADR	not applicable
RID	not applicable
ADN	not applicable
IMDG	not applicable
IATA	not applicable

14.6. Special precautions for user

ADR	not applicable Tunnelcode: (E)
RID	not applicable
ADN	not applicable
IMDG	not applicable
IATA	not applicable

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Ozone Depleting Substance (ODS) (Regulation (EC) No 1005/2009):	Not applicable
Prior Informed Consent (PIC) (Regulation (EU) No 649/2012):	Not applicable
Persistent organic pollutants (Regulation (EU) 2019/1021):	Not applicable
VOC content (2010/75/EU)	0 %

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

National regulations/information (Germany):

WGK: WGK 1: slightly hazardous to water (Ordinance on facilities for handling substances that are hazardous to water (AwSV))
Classification according to AwSV, Annex 1 (5.2)

Storage class according to TRGS 510: 8B

SECTION 16: Other information

The labelling of the product is indicated in Section 2. The full text of all abbreviations indicated by codes in this safety data sheet are as follows:

H290 May be corrosive to metals.
H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H412 Harmful to aquatic life with long lasting effects.

ED: Substance identified as having endocrine disrupting properties
EU OEL: Substance with a Union workplace exposure limit
EU EXPLD 1: Substance listed in Annex I, Reg (EC) No. 2019/1148
EU EXPLD 2: Substance listed in Annex II, Reg (EC) No. 2019/1148
SVHC: Substance of very high concern (REACH Candidate List)
PBT: Substance fulfilling persistent, bioaccumulative and toxic criteria
PBT/vPvB: Substance fulfilling persistent, bioaccumulative and toxic plus very persistent and very bioaccumulative criteria
vPvB: Substance fulfilling very persistent and very bioaccumulative criteria

Further information:

This Safety Data Sheet has been produced for sales from Henkel to parties purchasing from Henkel, is based on Regulation (EC) No 1907/2006 and provides information in accordance with applicable regulations of the European Union only. In that respect, no statement, warranty or representation of any kind is given as to compliance with any statutory laws or regulations of any other jurisdiction or territory other than the European Union. When exporting to territories other than the European Union, please consult with the respective Safety Data Sheet of the concerned territory to ensure compliance or liaise with Henkel's Product Safety and Regulatory Affairs Department (SDSinfo.Adhesive@henkel.com) prior to export to other territories than the European Union.

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

Dear Customer,

Henkel is committed to creating a sustainable future by promoting opportunities along the entire value chain. If you would like to contribute by switching from a paper to the electronic version of SDS, please contact the local Customer Service representative. We recommend to use a non-personal email address (e.g. SDS@your_company.com).

Relevant changes in this safety data sheet are indicated by vertical lines at the left margin in the body of this document. Corresponding text is displayed in a different color on shadowed fields.