

Safety Data Sheet according to (EC) No 1907/2006 as amended

Page 1 of 16

SDS No.: 535194

V004.2

Revision: 13.09.2023

printing date: 25.09.2023

Replaces version from: 12.05.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

BONDERITE M-FE 3960 W 23KG REE

1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use:

Phosphating Products for Metals

1.3. Details of the supplier of the safety data sheet

Henkel AG & Co. KGaA

BONDERITE M-FE 3960 W 23KG REE

Henkelstr. 67

40589 Düsseldorf

Germany

Phone: +49 211 797 0

For Safety Data Sheet updates please visit our website https://mysds.henkel.com/index.html#/appSelection or www.henkel-adhesives.com.

SDSinfo.Adhesive@henkel.com

1.4. Emergency telephone number

The Henkel information service also provides an around-the-clock telephone service on phone no.+49-(0)211-797-3350 for exceptional cases.

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (CLP):

Corrosive to metals Category 1

H290 May be corrosive to metals.

Skin corrosion Category 1

H314 Causes severe skin burns and eye damage.

Serious eye damage Category 1

H318 Causes serious eye damage.

2.2. Label elements

Label elements (CLP):

Hazard pictogram:



Signal word: Danger

Hazard statement: H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

Precautionary statement: P260 Do not breathe mist/spray.

Prevention P280 Wear protective gloves/protective clothing/eye protection/face protection.

Precautionary statement: P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Response Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing. P310 Immediately call a POISON CENTER or doctor.

2.3. Other hazards

None if used properly.

The classification as corrosive H314 category 1 is due to the extreme pH.

Following substances are present in a concentration ≥ the concentration limit for depiction in Section 3 and fulfill the criteria for PBT/vPvB, or were identified as endocrine disruptor (ED):

This mixture does not contain any substances in a concentration \geq the concentration limit for depiction in Section 3 that are assessed to be a PBT, vPvB or ED.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Declaration of the ingredients according to CLP (EC) No 1272/2008:

| Hazardous components CAS-No. EC Number REACH-Reg No. | Concentration | Classification | Specific Conc. Limits, M- factors and ATEs | Add. Information |
|--|---------------|---|---|---------------------|
| Phosphoric acid 7664-38-2 231-633-2 01-2119485924-24 | 5- < 10 % | Met. Corr. 1, H290 Skin Corr. 1B, H314 Acute Tox. 4, Oral, H302 | Skin Corr. 1B; H314; C >= 25 % Eye Irrit. 2; H319; C 10 - < 25 % Skin Irrit. 2; H315; C 10 - < 25 % ====== oral:ATE = 1.500 mg/kg | EU OEL |
| Sodium p-cumenesulphonate 15763-76-5 239-854-6 01-2119489411-37 | 1- < 3 % | Eye Irrit. 2, H319 | | |

If no ATE values are displayed, please refer to LD/LC50 values in Section 11. For full text of the H - statements and other abbreviations see section 16 "Other information". Declaration of ingredients according to Detergent Regulation 648/2004/EC

15 - 30 % phosphates

< 5 % non-ionic surfactants

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Move to fresh air, consult doctor if complaint persists.

Skin contact

Immediately rinse with copious amounts of running water (for 10 minutes). Remove contaminated clothes. Put on a bandage with sterile gauze, seek medical attention in hospital.

Eye contact:

Immediately flush eyes with soft jet of water or eye rinse solution for at least 15 minutes. Hold eyelid wide-open. Seek a doctor/hospital, eye flushing should continue during transportation to a doctor.

Ingestion:

Rinse out mouth, drink 1-2 glasses of water, do not induce vomiting.

Immediate medical treatment necessary.

4.2. Most important symptoms and effects, both acute and delayed

Causes burns.

4.3. Indication of any immediate medical attention and special treatment needed

See section: Description of first aid measures

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water spray jet

Carbon dioxide, foam, powder

Extinguishing media which must not be used for safety reasons:

High pressure waterjet

5.2. Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in fires.

5.3. Advice for firefighters

Wear protective equipment.

Wear self-contained breathing apparatus.

Additional information:

Cool endangered containers with water spray jet.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes.

Danger of slipping on spilled product.

6.2. Environmental precautions

Do not empty into drains / surface water / ground water.

6.3. Methods and material for containment and cleaning up

Dispose of contaminated material as waste according to Section 13.

Neutralize with acid-binding material (e.g. powdered limestone).

Take up with liquid-absorbing material (sand).

6.4. Reference to other sections

See advice in section 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

When diluting, always stir slowly the product into standing water.

Avoid skin and eye contact.

Ensure that workrooms are adequately ventilated.

See advice in section 8

Hygiene measures:

Wash hands before work breaks and after finishing work.

Do not eat, drink or smoke while working.

Wash contaminated clothing before reuse.

The workplace should be equipped with an emergency shower and eye-rinsing facility.

7.2. Conditions for safe storage, including any incompatibilities

Store only in the original container.

Store frost-free.

Keep only in original container.

Do not store together with strong bases or very alkaline substances.

7.3. Specific end use(s)

Phosphating Products for Metals

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational Exposure Limits

Valid for

Germany

| Ingredient [Regulated substance] | ppm | mg/m ³ | Value type | Short term exposure limit category / Remarks | Regulatory list |
|---|-----|-------------------|--|--|-----------------|
| Orthophosphoric acid 7664-38-2 [ORTHOPHOSPHORIC ACID] | | 2 | Short Term Exposure Limit (STEL): | Indicative | ECTLV |
| Orthophosphoric acid 7664-38-2 [ORTHOPHOSPHORIC ACID] | | 1 | Time Weighted Average (TWA): | Indicative | ECTLV |
| Orthophosphoric acid 7664-38-2 | | | Short Term Exposure Classification: | Category I: substances for which the localized effect has an assigned OEL or for substances with a sensitizing effect in respiratory passages. | TRGS 900 |
| Orthophosphoric acid 7664-38-2 | | 2 | Exposure limit(s): | If the AGW and BGW values are complied with, there should be no risk of reproductive damage (see Number 2.7). | TRGS 900 |

$\label{eq:predicted} \textbf{Predicted No-Effect Concentration (PNEC):}$

| Name on list | Environmental | Exposure | Value | | Remarks | | |
|--------------------------------------|------------------------------------|----------|------------|-----|-----------------|--------|----------------------------------|
| | Compartment | period | | | | | |
| | | | mg/l | ppm | mg/kg | others | |
| phosphoric acid 7664-38-2 | sediment (freshwater) | | | | | | no hazard identified |
| phosphoric acid 7664-38-2 | sediment (marine water) | | | | | | no hazard identified |
| phosphoric acid 7664-38-2 | Air | | | | | | no hazard identified |
| phosphoric acid 7664-38-2 | Soil | | | | | | no hazard identified |
| phosphoric acid 7664-38-2 | Predator | | | | | | no potential for bioaccumulation |
| Sodium p-cumenesulphonate 15763-76-5 | aqua (freshwater) | | 0,23 mg/l | | | | |
| Sodium p-cumenesulphonate 15763-76-5 | aqua (intermittent releases) | | 2,3 mg/l | | | | |
| Sodium p-cumenesulphonate 15763-76-5 | sewage treatment plant (STP) | | 100 mg/l | | | | |
| Sodium p-cumenesulphonate 15763-76-5 | aqua (marine water) | | 0,023 mg/l | | | | |
| Sodium p-cumenesulphonate 15763-76-5 | sediment (freshwater) | | | | 0,862 mg/kg | | |
| Sodium p-cumenesulphonate 15763-76-5 | sediment (marine water) | | | | 0,0862 mg/kg | | |
| Sodium p-cumenesulphonate 15763-76-5 | Soil | | | | 0,037 mg/kg | | |

Derived No-Effect Level (DNEL):

| Name on list | Application Area | Route of Exposure | Health Effect | Exposure Time | Value | Remarks |
|---|---------------------|----------------------|---|------------------|--------------|----------------------|
| phosphoric acid 7664-38-2 | Workers | inhalation | Long term exposure - systemic effects | | 10,7 mg/m3 | no hazard identified |
| phosphoric acid 7664-38-2 | General population | inhalation | Long term exposure - systemic effects | | 4,57 mg/m3 | no hazard identified |
| phosphoric acid 7664-38-2 | General population | inhalation | Long term exposure - local effects | | 0,36 mg/m3 | no hazard identified |
| phosphoric acid 7664-38-2 | General population | oral | Long term exposure - systemic effects | | 0,1 mg/kg | no hazard identified |
| phosphoric acid 7664-38-2 | Workers | inhalation | Long term exposure - local effects | | 1 mg/m3 | no hazard identified |
| phosphoric acid 7664-38-2 | Workers | inhalation | Acute/short term exposure - local effects | | 2 mg/m3 | no hazard identified |
| Sodium p-cumenesulphonate 15763-76-5 | Workers | dermal | Long term exposure - systemic effects | | 191 mg/kg | |
| Sodium p-cumenesulphonate 15763-76-5 | Workers | inhalation | Long term exposure - systemic effects | | 37,4 mg/m3 | |
| Sodium p-cumenesulphonate 15763-76-5 | Workers | dermal | Long term exposure - local effects | | 0,096 mg/cm2 | |
| Sodium p-cumenesulphonate 15763-76-5 | General population | dermal | Long term exposure - systemic effects | | 68,1 mg/kg | |
| Sodium p-cumenesulphonate 15763-76-5 | General population | inhalation | Long term exposure - systemic effects | | 6,6 mg/m3 | |
| Sodium p-cumenesulphonate 15763-76-5 | General population | oral | Long term exposure - systemic effects | | 3,8 mg/kg | |
| Sodium p-cumenesulphonate 15763-76-5 | General population | dermal | Long term exposure - local effects | | 0,048 mg/cm2 | |

Biological Exposure Indices:

None

8.2. Exposure controls:

Engineering controls:

Ensure good ventilation/suction at the workplace.

Respiratory protection:

In case of aerosol formation, we recommend wearing of appropriate respiratory protection equipment with ABEK P2 filter (EN 14387)

This recommendation should be matched to local conditions.

Hand protection:

Chemical-resistant protective gloves (EN 374). Suitable materials for short-term contact or splashes (recommended: at least protection index 2, corresponding to > 30 minutes permeation time as per EN 374): Polychloroprene (CR; >= 1 mm thickness) or natural rubber (NR; >=1 mm thickness) Suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374): Polychloroprene (CR; >= 1 mm thickness) or natural rubber (NR; >=1 mm thickness) This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the gloves should be replaced.

Eye protection:

Goggles which can be tightly sealed.

Protective eye equipment should conform to EN166.

Skin protection:

Protective clothing that covers arms and legs.

Protective clothing should conform to EN 14605 for liquid splashes or to EN 13982 for dusts.

Advices to personal protection equipment:

The information provided on personal protective equipment is for guidance purposes only. A full risk assessment should be conducted prior to using this product to determine the appropriate personal protective equipment to suit local conditions. Personal protective equipment should conform to the relevant EN standard.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Delivery form liquid

Colour brown, up to, light yellow

Odor odourless Physical state liquid

Melting point Not applicable, Product is a liquid < 0 °C (< 32 °F) Aqueous solution Solidification temperature

Initial boiling point $>= 100 \, ^{\circ}\text{C} (>= 212 \, ^{\circ}\text{F})$ no method / method unknown Aqueous

solution

Flammability Not applicable Aqueous solution

Explosive limits Not applicable, The product is not flammable., Aqueous solution Flash point Not applicable, No flash point up to 100°C. Aqueous preparation.,

Aqueous solution

Auto-ignition temperature Not applicable, Aqueous solution

Decomposition temperature Not applicable, Substance/mixture is not self-reactive, no organic

1.5 - 4 mm2/s

peroxide and does not decompose under foreseen conditions of use

2,2 - 3,0 PH-value, potentiometer

(20 °C (68 °F); Conc.: 1 % product; Solvent:

Demineralised water)

1,9 PH-value, potentiometer

(20 °C (68 °F); Conc.: 100 % product)

Viscosity (kinematic)

(40 °C (104 °F);)

Solubility (qualitative) fully miscible

(20 °C (68 °F); Solvent: Water)

Partition coefficient: n-octanol/water Not applicable

Mixture

Vapour pressure 102 - 132 mbar Values referring to water

(50 °C (122 °F))

Vapour pressure 23,4 mbar Values referring to water (20 °C (68 °F))

Density

1,290 - 1,310 g/cm3 density, hydrometer

(20 °C (68 °F))

Relative vapour density: < 1

(20 °C)

Not applicable Particle characteristics Product is a liquid

9.2. Other information

Other information not applicable for this product

SECTION 10: Stability and reactivity

10.1. Reactivity

Reaction with strong bases

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

See section reactivity

10.4. Conditions to avoid

No decomposition if used according to specifications.

10.5. Incompatible materials

See section reactivity.

10.6. Hazardous decomposition products

None if used for intended purpose.

In case of fire toxic gases can be released.

SECTION 11: Toxicological information

General toxicological information:

The classification as corrosive H314 category 1 is due to the extreme pH.

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute oral toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances | Value | Value | Species | Method |
|---|-------------------------------|-------------|---------|--|
| CAS-No. | type | | | |
| Phosphoric acid 7664-38-2 | Acute toxicity estimate (ATE) | 1.500 mg/kg | | Expert judgement |
| Sodium p- cumenesulphonate 15763-76-5 | LD50 | 3.346 mg/kg | rat | EPA OTS 798.1175 (Acute Oral Toxicity) |

Acute dermal toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Value type | Value | Species | Method |
|------------------------------|---------------|---------------|---------|--|
| Sodium p- | LD50 | > 2.000 mg/kg | rabbit | OECD Guideline 402 (Acute Dermal Toxicity) |
| cumenesulphonate | | | | |
| 15763-76-5 | | | | |

Acute inhalative toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Value type | Value | Test atmosphere | Exposure time | Species | Method |
|------------------------------|---------------|-------------|-----------------|---------------|---------|---------------------------|
| Sodium p- | LC50 | > 6,41 mg/l | dust/mist | 4 h | rat | OECD Guideline 403 (Acute |
| cumenesulphonate | | | | | | Inhalation Toxicity) |
| 15763-76-5 | | | | | | |

Skin corrosion/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Result | Exposure time | Species | Method |
|---|----------------|---------------|---------|---------------|
| Phosphoric acid 7664-38-2 | corrosive | 24 h | rabbit | not specified |
| Sodium p- cumenesulphonate 15763-76-5 | not irritating | 24 h | rabbit | Draize Test |

Serious eye damage/irritation:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Result | Exposure time | Species | Method |
|------------------------------|------------|---------------|---------|---|
| Sodium p- | moderately | | rabbit | OECD Guideline 405 (Acute Eye Irritation / Corrosion) |
| cumenesulphonate | irritating | | | |
| 15763-76-5 | | | | |

Respiratory or skin sensitization:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Result | Test type | Species | Method |
|---------------------------------|-----------------|--------------|------------|---|
| Sodium p- | not sensitising | Buehler test | guinea pig | OECD Guideline 406 (Skin Sensitisation) |
| cumenesulphonate | | | | |
| 15763-76-5 | | | | |

Germ cell mutagenicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Result | Type of study / Route of administration | Metabolic activation / Exposure time | Species | Method |
|---|----------|--|--|---------|---|
| Phosphoric acid 7664-38-2 | negative | bacterial reverse mutation assay (e.g Ames test) | with and without | | OECD Guideline 471 (Bacterial Reverse Mutation Assay) |
| Phosphoric acid 7664-38-2 | negative | in vitro mammalian chromosome aberration test | with and without | | OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test) |
| Phosphoric acid 7664-38-2 | negative | mammalian cell gene mutation assay | with and without | | OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test) |
| Sodium p- cumenesulphonate 15763-76-5 | negative | bacterial reverse mutation assay (e.g Ames test) | with and without | | EPA OTS 798.5265 (The Salmonella typhimurium Bacterial Reverse Mutation Test) |
| Sodium p- cumenesulphonate 15763-76-5 | negative | in vitro mammalian chromosome aberration test | with and without | | EPA OPPTS 870.5375 (In Vitro Mammalian Chromosome Aberation) |
| Sodium p- cumenesulphonate 15763-76-5 | negative | mammalian cell gene mutation assay | with and without | | EPA OPPTS 870.5300 (Detection of Gene Mutations in Somatic Cells in Culture) |
| Sodium p- cumenesulphonate 15763-76-5 | negative | sister chromatid exchange assay in mammalian cells | with and without | | EPA OPPTS 870.5900 (In Vitro Sister Chromatid Exchange Assay in Mammalian Cells) |
| Sodium p- cumenesulphonate 15763-76-5 | negative | oral: gavage | | mouse | OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test) |

Carcinogenicity

No data available.

Reproductive toxicity:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances | Result / Value | Test type | Route of | Species | Method |
|----------------------|----------------------|------------|--------------|---------|---------------------------|
| CAS-No. | | | application | | |
| Phosphoric acid | NOAEL P 500 mg/kg | one- | oral: gavage | rat | OECD Combined Repeated |
| 7664-38-2 | | generation | | | Dose and Reproductive / |
| | NOAEL F1 500 mg/kg | study | | | Developmental Toxicity |
| | | | | | Screening Test (Precursor |
| | | | | | Protocol of GL 422) |
| Sodium p- | NOAEL P 300 mg/kg | screening | oral: gavage | rat | OECD Guideline 421 |
| cumenesulphonate | | | | | (Reproduction / |
| 15763-76-5 | NOAEL F1 1.000 mg/kg | | | | Developmental Toxicity |
| | | | | | Screening Test) |

STOT-single exposure:

No data available.

STOT-repeated exposure:

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances CAS-No. | Result / Value | Route of application | Exposure time / Frequency of | Species | Method |
|------------------------------|-------------------|----------------------|---------------------------------|---------|---------------------------|
| | | | treatment | | |
| Phosphoric acid | NOAEL 250 mg/kg | oral: gavage | 6 w | rat | OECD Guideline 422 |
| 7664-38-2 | | | daily | | (Combined Repeated |
| | | | | | Dose Toxicity Study with |
| | | | | | the Reproduction / |
| | | | | | Developmental Toxicity |
| | | | | | Screening Test) |
| Sodium p- | NOAEL > 763 mg/kg | oral: feed | 90 d | rat | OECD Guideline 408 |
| cumenesulphonate | | | daily | | (Repeated Dose 90-Day |
| 15763-76-5 | | | | | Oral Toxicity in Rodents) |

Aspiration hazard:

No data available.

11.2 Information on other hazards

not applicable

SECTION 12: Ecological information

General ecological information:

Locally harmful for aquatic and landliving organisms because of low pH and corrosive properties.

Do not empty into drains / surface water / ground water.

The biodegradability of the surfactants contained in the product is in accordance with the requirements of the EU Detergent Regulation (EC/648/2004).

The surfactants contained in the products are primary biodegradable to at least 90% on average.

12.1. Toxicity

Toxicity (Fish):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances | Value | Value | Exposure time | Species | Method |
|---------------------------|-------|------------|---------------|---------------------|---------------------------|
| CAS-No. | type | | | | |
| Phosphoric acid | LC50 | > 100 mg/l | 96 h | Oncorhynchus mykiss | OECD Guideline 203 (Fish, |
| 7664-38-2 | | | | | Acute Toxicity Test) |
| Sodium p-cumenesulphonate | LC50 | > 100 mg/l | 96 h | Oncorhynchus mykiss | OECD Guideline 203 (Fish, |
| 15763-76-5 | | | | | Acute Toxicity Test) |

Toxicity (aquatic invertebrates):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances | Value | Value | Exposure time | Species | Method |
|---------------------------|-------|------------|---------------|---------------|----------------------|
| CAS-No. | type | | | | |
| Phosphoric acid | EC50 | > 100 mg/l | 48 h | Daphnia magna | OECD Guideline 202 |
| 7664-38-2 | | | | | (Daphnia sp. Acute |
| | | | | | Immobilisation Test) |
| Sodium p-cumenesulphonate | EC50 | > 100 mg/l | 48 h | Daphnia magna | OECD Guideline 202 |
| 15763-76-5 | | | | | (Daphnia sp. Acute |
| | | | | | Immobilisation Test) |

| Chronic | toxicity | (aquatic | invertel | brates): |
|---------|----------|----------|----------|----------|
|---------|----------|----------|----------|----------|

No data available.

Toxicity (Algae):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances | Value | Value | Exposure time | Species | Method |
|---------------------------|-------|------------|---------------|---------------------------------|---------------------------|
| CAS-No. | type | | | | |
| Phosphoric acid | EC50 | > 100 mg/l | 72 h | Desmodesmus subspicatus | OECD Guideline 201 (Alga, |
| 7664-38-2 | | | | _ | Growth Inhibition Test) |
| Phosphoric acid | NOEC | 100 mg/l | 72 h | Desmodesmus subspicatus | OECD Guideline 201 (Alga, |
| 7664-38-2 | | | | _ | Growth Inhibition Test) |
| Sodium p-cumenesulphonate | EC50 | > 100 mg/l | 96 h | Pseudokirchneriella subcapitata | OECD Guideline 201 (Alga, |
| 15763-76-5 | | | | _ | Growth Inhibition Test) |

Toxicity (microorganisms):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances | Value | Value | Exposure time | Species | Method |
|----------------------|-------|----------|---------------|------------------|------------------------------|
| CAS-No. | type | | | | |
| Phosphoric acid | IC50 | 270 mg/l | 3 h | activated sludge | OECD Guideline 209 |
| 7664-38-2 | | | | | (Activated Sludge, |
| | | | | | Respiration Inhibition Test) |

12.2. Persistence and degradability

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances | Result | Test type | Degradability | Exposure | Method |
|--------------------------------------|-----------------------|-----------|---------------|----------|--|
| CAS-No. | | | | time | |
| Sodium p-cumenesulphonate 15763-76-5 | readily biodegradable | aerobic | 99,8 % | 28 day | OECD Guideline 301 B (Ready Biodegradability: CO2 Evolution |
| 13/03-70-3 | | | | | Test) |

12.3. Bioaccumulative potential

No data available.

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

The table below presents the data of the classified substances present in the mixture.

| Hazardous substances | PBT / vPvB |
|---------------------------|--|
| CAS-No. | |
| Phosphoric acid | According to Annex XIII to Regulation (EC) No 1907/2006, a PBT and vPvB assessment shall |
| 7664-38-2 | not be conducted for inorganic substances. |
| Sodium p-cumenesulphonate | Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very |
| 15763-76-5 | Bioaccumulative (vPvB) criteria. |

12.6. Endocrine disrupting properties

not applicable

12.7. Other adverse effects

If acidic or alkaline products are discharged into wastewater installations care must be taken that the discharged wastewater has a pH in the range pH 6 - 10, as pH variations could cause disorders in wastewater channels and biological sewage treatment plants. The local discharge regulations take precedence.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product disposal:

In consultation with the responsible local authority, must be subjected to special treatment.

Waste code

EWC/EAK 070608

The valid EWC waste code numbers are source-related. The manufacturer is therefore unable to specify EWC waste codes for the articles or products used in the various sectors. The EWC codes listed are intended as a recommendation for users. We will be happy to advise you.

SECTION 14: Transport information

14.1. UN number or ID number

| ADR | 3264 |
|------|------|
| RID | 3264 |
| ADN | 3264 |
| IMDG | 3264 |
| IATA | 3264 |

14.2. UN proper shipping name

| ADR | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphoric acid,Gluconic acid) |
|------|---|
| RID | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphoric acid,Gluconic acid) |
| ADN | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphoric acid,Gluconic acid) |
| IMDG | CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (Phosphoric acid,Gluconic acid) |

IATA Corrosive liquid, acidic, inorganic, n.o.s. (Phosphoric acid,Gluconic acid)

14.3. Transport hazard class(es)

| ADR | 8 |
|------|---|
| RID | 8 |
| ADN | 8 |
| IMDG | 8 |
| IATA | 8 |

14.4. Packing group

| ADR | II |
|------|----|
| RID | II |
| ADN | II |
| IMDG | II |
| IATA | II |

14.5. Environmental hazards

| ADR | not applicable |
|------|----------------|
| RID | not applicable |
| ADN | not applicable |
| IMDG | not applicable |
| IATA | not applicable |
| | |

14.6. Special precautions for user

ADR not applicable

Tunnelcode: (E) not applicable not applicable not applicable

IMDG not applicable IATA not applicable

14.7. Maritime transport in bulk according to IMO instruments

not applicable

RID ADN

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Ozone Depleting Substance (ODS) (Regulation (EC) No 1005/2009): Not applicable Prior Informed Consent (PIC) (Regulation (EU) No 649/2012): Not applicable Persistent organic pollutants (Regulation (EU) 2019/1021): Not applicable

VOC content 0 %

(2010/75/EU)

15.2. Chemical safety assessment

A chemical safety assessment has not been carried out.

National regulations/information (Germany):

WGK: WGK 1: slightly hazardous to water (Ordinance on facilities for handling

substances that are hazardous to water (AwSV)) Classification according to AwSV, Annex 1 (5.2)

Storage class according to TRGS 510: 8B

SECTION 16: Other information

The labelling of the product is indicated in Section 2. The full text of all abbreviations indicated by codes in this safety data sheet are as follows:

H290 May be corrosive to metals.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.

ED: Substance identified as having endocrine disrupting properties

EU OEL: Substance with a Union workplace exposure limit
EU EXPLD 1: Substance listed in Annex I, Reg (EC) No. 2019/1148
EU EXPLD 2 Substance listed in Annex II, Reg (EC) No. 2019/1148
SVHC: Substance of very high concern (REACH Candidate List)
PBT: Substance fulfilling persistent, bioaccumulative and toxic criteria

PBT/vPvB: Substance fulfilling persistent, bioaccumulative and toxic plus very persistent and very

bioaccumulative criteria

vPvB: Substance fulfilling very persistent and very bioaccumulative criteria

Further information:

This Safety Data Sheet has been produced for sales from Henkel to parties purchasing from Henkel, is based on Regulation (EC) No 1907/2006 and provides information in accordance with applicable regulations of the European Union only. In that respect, no statement, warranty or representation of any kind is given as to compliance with any statutory laws or regulations of any other jurisdiction or territory other than the European Union. When exporting to territories other than the European Union, please consult with the respective Safety Data Sheet of the concerned territory to ensure compliance or liaise with Henkel's Product Safety and Regulatory Affairs Department (SDSinfo.Adhesive@henkel.com) prior to export to other territories than the European Union.

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

Dear Customer.

Henkel is committed to creating a sustainable future by promoting opportunities along the entire value chain. If you would like to contribute by switching from a paper to the electronic version of SDS, please contact the local Customer Service representative. We recommend to use a non-personal email address (e.g. SDS@your_company.com).

Relevant changes in this safety data sheet are indicated by vertical lines at the left margin in the body of this document. Corresponding text is displayed in a different color on shadowed fields.